

Need a Phone System? At BSW, You're Never on Hold!

VSET 6 Sold Separately



Telos

Easy to understand
set controls



See the video at
bswusa.com/HX6

Advanced 6-Line Talkshow System

The Telos Hx6 features advanced dual hybrids and a full suite of audio processing capabilities to deliver superb caller audio over POTS or ISDN phone lines from even the most problematic connections. A Vset6 phone controller (sold separately) connects via Ethernet to provide system control. Its large, colorful VGA LCD displays provide intuitive operation and setup, while exclusive animated Status Symbol icons give producers and talent line/caller status at a glance. The system offers flexible I/O options to meet most any need.

The included XScreen Lite call screening software from Broadcast Bionics gives screeners and hosts plenty of information and control using sophisticated visual talkback.

Contact BSW For Lowest Prices

2001-00342	6 Lines POTS, Livewire/Analog I/O	List \$2,995.00
2001-00343	6 lines POTS, Livewire/AES I/O	List \$3,195.00
VSET6	6-line phone controller (sold separately)	List \$795.00
VSET12	12-line phone controller (sold separately)	List \$1,049.00

Multi-Studio VoIP Phone Broadcast System

The Telos VX VoIP phone system plugs into Axia IP-Audio networks to connect multiple channels of audio and control via a single Ethernet RJ-45. It uses standard SIP and RTP protocols to work with your VoIP-based PBX or SIP-trunking telco service to direct up to 16 hybrids. It can also connect to traditional telco lines via gateways. VX comes with VX Producer software (or XScreen Lite from Broadcast Bionics).

The **VX Engine** is where all hybrids are housed and where call control and audio processing occurs. I/O is only limited by network bandwidth and throughput, resulting in a capacity of up to 80 available incoming lines.

The **Vset (VX Director)** offers an LCD color display that instantly lets talent know what's going on. Available in three versions, it can handle up to 12 phone lines and provides line status, caller information and fader assignments at a glance.



Call controller

12-line Modular Telephone Systems

The Telos Nx12 is a powerful 12-line phone system offering state-of-the-art hybrid technology with support for both ISDN and POTS phone lines. It sports four advanced Telos hybrids and comes equipped with analog or AES inputs/outputs.

Note: If you order analog I/Os, two hybrids are accessible. With digital I/O models, four hybrids are accessible. Each of Nx12's four hybrids is equipped with its own Omnia AGC and noise gate to make caller-to-caller consistency better than ever, no matter how high or low the caller's gain is.

NX12 SYSTEMS:

2001-00208	12 Lines POTS, Livewire and Analog I/O	List \$4,395.00
2001-00210	6 two-channel ISDN Lines, Livewire and Analog I/O	List \$4,395.00
2001-00211	12 Lines POTS, Livewire and AES I/O	List \$4,595.00
2001-00213	6 two-channel ISDN Lines, Livewire and AES I/O	List \$4,595.00
2001-00215	6 POTS, 3 two-Channel ISDN Lines, Livewire/Analog I/O	List \$4,395.00
2001-00217	6 POTS, 3 two-Channel ISDN Lines, Livewire/AES I/O	List \$4,595.00

Contact BSW For Lowest Prices

XSCREEN

Directs up
to 80 lines of
phone traffic!



VXENGINE

VXDIRECTOR



See the video at
bswusa.com/VX

VXENGINE		List \$8,995.00
VSET12	12 phone lines	List \$1,049.00
VSET6	6 phone lines	List \$795.00
VSET1	1 phone line	List \$695.00

ACCESSORIES:


VX-ANALOG	Analog audio interface	List \$2,795.00
VX-GPIO	GPIO Logic Interface	List \$2,295.00

Contact BSW For Lowest Prices



Need to see more? It's Easy!

See our full line at www.bswusa.com/telephones



Always ON.

It's easy—we're always here
to keep you going.

Your callers
have never
been closer.



STAC VIP brings your callers closer to you in three invaluable ways. First, it allows you to take wideband calls from SIP computer and Smartphone apps. This gives your show HD Voice quality making calls sound better thereby increasing listener TSL, loyalty and ratings. It's especially easy to set-up. Just send your regular contributors a web link and before you know it, STAC VIP will put you well ahead of the competition. Secondly, STAC VIP allows your callers to connect via their legacy medium of choice - there are no barriers. There is full integration to your IP PBX and POTS, ISDN or T1 gateways.

Thirdly, there is the fully integrated, intuitive and elegant web-based graphical user interface. STAC VIP provides a superior level of caller management. Screener and host can view caller details, exchange notes, chat and of course, connect, hold, drop or air calls as the host requires - even from a remote site. *Contact us for more.*

Call BSW at 1-800-426-8434 for your best price on COMREX.

STAC VIP
VoIP TELEPHONE TALKSHOW SYSTEM



"Easy to use."



STAC6

STAC Phone System Gives You Complete Control

The Comrex Studio Telephone Access Center (STAC) puts you in control of your talk shows, call-ins and phoners with great sound, ease of operation and a scalable configuration.

- Dual, high-performance digital hybrids – 6 or 12-line system
- Screener Mode simplifies screening and queuing; web browser control
- Automatically answers calls with custom message and puts them on hold
- XLR Send input; XLR Caller 1 and 2 outputs; two stereo mini headphone jacks
- Front panel LEDs indicate level status
- Aux DB-9 control output, momentary or latching

STAC6	6-line phone system	List \$3,200.00
STAC12	12-line phone system	List \$3,900.00
STAC6CS	Additional control surface for STAC6	List \$600.00
STAC12CS	Additional control surface for STAC12	List \$900.00
STACEK	STAC6-to-STAC12 expansion module	List \$900.00

Contact BSW For Lowest Prices



STAC Chart

Powerful VoIP Talkshow System

Comrex STAC VIP smoothly integrates legacy POTS lines with VoIP technology to deliver a new way to manage telephone calls for talk shows, interviews and contests. Besides taking traditional POTS calls, it also handles calls from HD Voice-capable telephones and smartphone apps.

Complete with the STAC IP Call Screening and Control Interface, the STAC VIP Caller Management system will even integrate with your VoIP PBX system.

- Processes up to 12 incoming VoIP calls on a single DSL line utilizing telephone grade G.729 audio compression
- Easy extension sharing and integration with SIP-based PBX systems
- Accepts incoming wideband voice calls from VoIP telephones, wideband voice capable Smartphones and soft codecs
- Easily accommodates legacy POTS/ISDN
- Analog and digital I/O

STAC-VIP	List \$4,500.00
STAC12-VIP	List \$5,300.00

ACCESSORIES:

STAC-VIP-SURFACE	Extra control surface	List \$900.00
STAC-VIP-SIDECAR	Control surface sidecar	List \$300.00
STAC12-VIP-SURFACE	Control surface	List \$1,200.00

Contact BSW For Lowest Prices



See the video at bswusa.com/STAC-VIP

BROADCAST BITS

Telephone Systems

Think about the amount of program source material that comes through your telephone hybrid news reports, traffic updates, local sports events, and the callers that make up the bulk of your local talk programs. Does your telephone audio sound the best it can?

If the Governor came into your studio to be interviewed, you would use a quality mic and the best mic processor you have. Important voices deserve to sound their best whether they originate in-studio or on the phone.

By using the same techniques that apply to studio mics, you can make a noticeable improvement to a phone caller's sound. Any of the popular voice processors (Symetrix 528E, Vorsis M1, Aphex 230, and dbx 286A) are well-suited for telco use. Just place it between the hybrid's caller output and the console's line input.

The particular functions that improve telco sound are:


Downward Expander — Reduces the background noise when caller is not actually talking

Compressor — Keeps the level consistent whether the caller is local or from the next planet.

EQ — Emphasize the upper and lower frequencies and shape the sound to something more pleasing. Parametric EQ is especially versatile. Aphex 230's Aural Exciter and dbx 286A's HF Enhance circuits both do a good job of adding some "sparkle" to the caller's voice with no negative effects.

The callers won't suddenly sound like they are in-studio. But they will be more detailed and consistent.

"Now let's go to Bill in Kansas City. You're on the air! What's on your mind?"



Hx1

State Of The Art Digital Hybrids

Available in single (x1) and dual (x2) hybrids, and with analog only or analog and digital I/O, the Telos Hx Series offers superb hybrid performance.

HX1	Single hybrid	List—\$795.00
HX2	Dual hybrid	List—\$1,395.00
HX1-AES	Single hybrid w/AES	List—\$995.00
HX2-AES	Dual hybrid w/AES	List—\$1,595.00

Contact BSW For Lowest Prices



See the video at
bswusa.com/HX1


- Advanced hybrid technology that significantly sweetens and controls caller audio
- Symmetrical wide-range AGC and noise gate with adjustable gain settings
- Auto-Answer, caller disconnect detection
- Sophisticated new audio-leveling and anti-feedback routines for enhanced open-speaker applications
- Call screening and line-hold features
- Front-panel send and receive audio metering

Telos

—Community-3611



DH30



DH22

DH20	16-bit digital hybrid	List—\$995.00
DH22	Dual 16-bit digital hybrid	List—\$1,595.00
DH30	24-bit digital hybrid	List—\$1,795.00

Contact BSW For Lowest Prices

and status as well as selectable caller ducking. **DH22** The DH22 offers the same functionality as the DH20 but in a dual configuration. **DH30** The DH30 adds more capability through the addition of AES/EBU inputs and outputs, interfacing with the latest digital and analog consoles. It also provides acoustic echo cancellation with simple front panel controls and remote control capability. See all three online at www.bswusa.com.

High Performance Digital Hybrids

Comrex's digital hybrids provide the highest quality audio interface between your telephone line and audio equipment. Common features: balanced XLR inputs and outputs; adjustable AGC and caller ducking; selectable auto mix-minus; auxiliary and headphone monitor outputs; remote control. **DH20** The DH20 offers the superior separation of a top-of-the-line digital hybrid at a very economical price. It provides selectable automatic gain control and caller ducking. Both the DH20 and the DH22 offer remote control

COMREX

"You won't believe the difference"



INNKEEPER1RX

Low Noise Digital Hybrids

The JK Audio Innkeeper1x digital hybrids now offer lower noise and even better echo cancelling performance. They also add an RS-232 remote interface using simple ASCII protocol (cable included). Use the Innkeeper1RX to bring in high-quality audio or interviews from your telephone line. This rackmount single hybrid uses a 16-bit digital signal processor to continuously monitor the phone line and audio signals to deliver better separation and to effectively prevent transmit/receiver crosstalk. This proprietary, dual-convergence echo canceller algorithm can achieve excellent separation, typically exceeding 50 dB, without any setup and without sending a noise burst down the line. Also available in Innkeeper1X desktop model. Optional remote controls available. JK Audio's Innkeeper 4 squeezes four independent digital hybrids into a 1RU space. The front-panel keypad, display, and handset jacks provide easy speed dialing and call setup, and balanced XLR output jacks contain only the caller's voice. You also get remote control and LED status indication and it even stores 50 names/numbers. The Innkeeper 2 is a dual hybrid version (also with LED screen). For details on each of the four models, please call or go online.

INNKEEPER1RX	Single hybrid, rackmount	List—\$875.00
INNKEEPER1X	Single hybrid, desktop	List—\$795.00
INNKEEPER4	4 hybrids, rackmount	List—\$1,795.00
INNKEEPER2	2 hybrids, rackmount	List—\$1,495.00

Contact BSW For Lowest Prices

- Voice Presence Compensation for richer caller audio; AGC and caller ducking
- Proprietary auto-null algorithm, 50 dB null
- Headphone jack and monitor speaker terminals



INNKEEPER4 Front



INNKEEPER4 Back



INNKEEPER1X

JK Audio

Hot-Swappable Without Losing Calls

Part of JK Audio's new modular talk show system, these desktop Guest Modules for the Concierge switch core are hot swappable without losing calls and feature line selection buttons that change color to indicate call status. Designed for years of dependable service, they boast durable aluminum and steel construction with a sealed rubber keypad.



GUESTMODULE-1X6	1x6 desktop control surface	List—\$375.00
GUESTMODULE-2X6	2x6 desktop control surface	List—\$395.00
GUESTMODULE-1X12	1x12 desktop control surface	List—\$395.00
GUESTMODULE1	Keypad control	List—\$168.00
RIU-IP	Web control interface	List—\$345.00

Contact BSW For Lowest Prices

JK Audio



Connects Two Hybrids Across Six Phone Lines

The Concierge switch core, a key component of JK Audio's modular family of talk show system components, can connect two hybrids across six phone lines. The switch matrix routes six incoming analog phone lines to JK Audio Innkeeper 1x or Innkeeper 2 digital hybrids. Concierge also offers music on hold input, auxiliary phone integration, and intuitive call control. Two Concierge switch cores can be bridged together, providing six additional phone lines for a two hybrid, 12-line system. You can add up to eight Guest Module control surfaces to provide remote control of the switch matrix over CAT5 cable.

CONCERGE-2X6 List—\$925.00

Contact BSW For Lowest Prices

JK Audio

JK Audio

"Provides sound just like any thousand dollar model"



INNKEEPERLTD



Bluetooth Desktop Interface

The JK Audio BlueKeeper interfaces to your cell phone like a Bluetooth wireless headset. Simply connect your favorite microphone and headphone and enjoy an immediate improvement at both ends of the call. The professional microphone preamplifier provides a dramatic improvement in sound quality to the caller (or back to the station if you are away from the studio). The caller audio comes in loud and clear over the convenient front-panel headphone jack.

For recording interviews, BlueKeeper allows you to maintain superb separation between your voice and the caller. The stereo output jack on the back of the unit provides your voice on one channel (in full fidelity) and the caller's voice on the other channel.


BLUEKEEPER List \$495.00

Contact BSW For Lowest Prices

"The best sounding cell phone calls I've heard."



BLUEKEEPER



Intuitive Digital Hybrid

The JK Audio InnKeeper LTD digital hybrid connects audio signals to a standard analog telephone line without the transmit/receive crosstalk common to analog hybrids. Its Digital Signal Processor continuously monitors both the phone line and audio signals to deliver excellent separation, typically exceeding 50 dB, without any setup and without sending a noise burst down the line. An auxiliary telephone is only required to place outgoing calls.

- Auto-Answer/Auto Disconnect for use in IFB and monitoring applications
- Other applications include telephone interviews, talk shows, church PA interface, and more
- Can connect to an optional JK Audio Guest Module for remote control and dialing without an auxiliary telephone.
- Optional RA2 rackmount accessory holds two units in a 1U rack space

INNKEEPERLTD

List \$575.00

Accessories:

GUESTMODULE1 Remote control interface List \$168.00
RA2 Rackmount kit List \$59.00

Contact BSW For Lowest Prices

Smooth Desktop Digital Hybrid

The JK Audio Universal Host easily converts your IP or PBX telephone into a professional, affordable interview station. This desktop digital hybrid provides talk show quality caller audio from most telephone systems. Simply connect between your telephone handset and the base of your telephone. Its DSP continuously monitors both transmit and receive audio signals to deliver excellent separation.

Universal Host provides connections for a microphone, headphones, mixer, sound card and telephone handset.

UNIVERSALHOST List \$649.00

Contact BSW For Lowest Prices



Powerful Digital Hybrids

JK Audio's Broadcast Host digital hybrid contains everything you need to get talk show-quality audio from standard telephone lines, with excellent separation between your voice and the caller's. In fact, the quality is so good it competes with hybrids costing hundreds or thousands more. JK Audio's new state-of-the-art echo canceller in the **Broadcast Host** achieves excellent separation on any telephone line. The similar **Innkeeper PBX** connects to multi-line PBX telephone systems through the handset cord. It achieves excellent separation without any setup and without sending a noise burst down the line.

HOST List \$495.00
INNKEEPERPBX List \$495.00

Accessories:

GUESTMODULE1 Remote control interface/keypad List \$168.00

Contact BSW For Lowest Prices

"Reliable and easy"



INNKEEPERPBX



INNKEEPERPBX Back Panel

HOST Back Panel

FEATURES (BOTH):

- 16-bit digital signal processing; proprietary auto null algorithm
- Send and Receive LEDs
- Balanced XLR input with Mic/Line pad switch
- 3.5 mm mono input; 3.5 mm output L=send/R=caller
- Balanced XLR caller output
- 3.5 mm headphone output (mixed send/receive)

HOST FEATURES:

- Auto-Answer/Auto Disconnect for IFB/monitoring
- RJ11C phone and aux phone jacks

INNKEEPER PBX FEATURES:

- Select electret, dynamic and carbon handset types
- RJ22 handset and phone jacks

Handy Intercom Phone Bridge

Interchange gives your mobile phone, tablet, or computer remote access to your party-line intercom through JK Audio Innkeeper Series Digital Hybrids. It provides a four-wire audio interface and remote control connection for JK Audio innkeeper LTD, innkeeper 1x/1rx, or innkeeper 2 Digital Hybrids for POTS lines, or JK Audio PBXport for PBX/VoIP lines.

INTERCHANGE List \$820.00

Contact BSW For Lowest Prices



Full Duplex Telephone Audio Interface

JK Audio's AutoHybrid gives you simultaneous send and receive audio through analog telephone lines. A full duplex hybrid capable of 20 dB nominal trans-hybrid loss, AutoHybrid is perfect for monitoring remote locations, IFB feeds and many simple studio, conferencing and PA telephone interface applications. This desktop unit features a passive auto-answer/disconnect interface and is rackable (4-across) with the optional RA4 shelf.

AUTOHYBRID List \$210.00

Accessories:

RA4 Rack shelf List \$59.00

Contact BSW For Lowest Prices

JK Audio

New VoIP Hybrid/AoIP Codec

The JK Audio AutoHybrid IP2 functions as a two-line VoIP hybrid, offering one button access to call control, auto-answer and conference, with advanced call control features and VoIP line setup provided through the internal web server. It also works as an Audio over IP codec, streaming wide-band stereo audio.

AUTOHYBRID-IP2 List \$945.00

Contact BSW For Lowest Prices

Uses convenient standard connectors!

Simply Elegant Phone Couplers

Comrex's TCB-1 telephone coupler sends or receives program material via the switched telephone network. This unit requires no external power and connections are via standard modular plugs. Line level 1/4" input. The TCB-2 auto-answer coupler is perfect for listen-line applications. Just plug in the standard connectors, attach the power supply and you're ready to go. The coupler answers on the first ring and disconnects on hang up.

TCB1A List \$175.00

TCB2A List \$300.00

Contact BSW For Lowest Prices

COMREX


Time-Tested Phone Couplers

The Excalibur HC-1 connects with the handset of any telephone using modular connectors. 1/4" audio connectors on back. The unit is passive, no power required. The HA-1 hybrid adaptor connects through the telephone handset and allows you to use your favorite broadcast hybrid with almost any telephone; old, new, single or multiple line, etc.

HC-1 Phone coupler List \$99.00

HA-1 Hybrid adaptor List \$99.00

Contact BSW For Lowest Prices



Amplified Telephone Interface

The CircuitWerkes MicTel replaces the handset of a telephone to provide high-quality audio for feeding and receiving information. For non-telephone work, its balanced, studio quality inputs and outputs make it an excellent audio interface device for all kinds of remote or in-studio work. The aux. audio channel drives the headphones, giving you a portable field amplifier with an IFB feed for your headphones in one compact box.

MICTEL List \$329.00

Contact BSW For Lowest Prices



"Clean signal...easy to use."



INLNEPATCH

Handy Telephone Hybrid

The Inline Patch hybrid connects between an analog or cordless telephone and the wall jack to give you more control over recording and playback. The unit's two back-to-back hybrids give you complete control of audio from both sides of the call. Audio input jacks let you mix sound bites into your conversation. One stereo output jack provides your voice on one channel and the caller's voice on the other. A second output jack contains a mix.

INLNEPATCH List \$270.00 **Contact BSW For Lowest Prices**

JK Audio



Ultra-Compact Phone Hybrid Monitor

The Broadcast Tools TT-1 Plus boasts dual-hybrid transformers to deliver full duplex audio at a budget-friendly price.

It boasts a rear panel multi-turn hybrid NULL trimmer lets you achieve approximately 20dB of trans-hybrid loss. It also features a front panel line seize button, a call drop button, an auto-answer/monitor-TAP switch, an audio mute switch as well as off-hook and ring indicators.

TT1-PLUS List \$159.00

Accessories:

RA-1 Rack shelf

List \$59.00

Contact BSW For Lowest Prices

BROADCAST tools inc.



Smart Telephone Autocoupler

The Broadcast Tools STA III provides an interface between telephone line and user equipment. The STA III provides a self-null hybrid with balanced input and outputs. The STA III monitors the telephone line for CPC calling party control and long dial tone hang up signals, allowing use behind PBX telephone switches and POTS lines.

STAIII List \$329.00

Contact BSW For Lowest Prices

BROADCAST tools inc.



"Excellent product."



TELTAP

Phone Tap/Coupler

The CircuitWerkes TelTap is a versatile phone line monitor and manual coupler. It allows you to seize or tap the line, send or receive audio, and has call indicator LED and mute switch.

TELTAP List \$99.00

Contact BSW For Lowest Prices



Handy Call Progress Decoder

The CircuitWerkes CP-2 standalone call progress decoder allows any automatic telephone coupling device to hang up properly on PBX or other telephone lines that don't provide the customary end of call d.c. signaling. It can work with all telephone devices, regardless of maker.

CP-2-CW List \$189.00

Contact BSW For Lowest Prices



EZ Control and More From CircuitWerkes and BSW



Hybrid Telephone Auto Coupler

The CircuitWerkes HC-3 automatically answers your phone line on a programmable number of rings. It features a simple hybrid circuit that separates incoming and outgoing telephone audio, bridging balanced audio input with a send level control and a low impedance balanced output. The HC-3's features make it ideal for a variety of telephone tasks such as listen lines, concert lines and remote broadcasting. Dry relay contacts close at pickup.

- Auto-answer and auto-hangup
- Remote pickup and hangup control for manual operation
- Simple hybrid circuit for bidirectional audio connection
- Built-in tone generator for setting hybrid null
- All connections made to screw terminals
- LED's for incoming ring/on line, and power indications

HC3 List \$279.00

Contact BSW For Lowest Prices



Subaudible Tone Decoder

The CircuitWerkes Sub-03 can automate your network feeds or take the guesswork out of when to cut away from networks. The decoder listens to your network audio and gives you dry contact closures from any service that sends subaudible tones including satellites, RPU's, ISDN loops and more. Its relay contacts interface easily with your automation system. It accepts a wide range of input audio signals, and its fully adjustable, active, balanced output can be used to feed your equipment. Internal filters greatly reduce the presence of tones in the output.

SUB03 List \$395.00

Contact BSW For Lowest Prices



Auto Coupler Rack System

The CircuitWerkes AC-12 fits up to 12 AC1B auto-couplers (sold separately). It offers two balanced bridging input, switchable busses for audio distribution. Each coupler card has an individual 600 ohm bi-directional audio connection with level trim.

- LEDs for ring, on-line and clipping
- Strappable input attenuator which accepts a wide range of input signals
- Individual relay isolated, user-selected, momentary or latching dry contacts

AC12 Mainframe List \$379.00
AC-1 Coupler card List \$199.00
CP1 Call progress decoder List \$119.00

Contact BSW For Lowest Prices



Dial Up Remote Control

The CircuitWerkes DR-10 is a user programmable remote control that lets you operate your station's equipment from anywhere there's a phone. It automatically answers the phone and waits for you to enter your password, after which you have complete control of the DR-10's relays. They can be individually programmed for momentary, latching or interlocked operation.

- Relays can be programmed to decode any of the 16 DTMF tones
- 2-tone sequence mode and anti-falsing delay mode prevent accidental contact closures during remote broadcasts

DR10 List \$399.00

Contact BSW For Lowest Prices

Accessories:

RM01 Rack mount List \$35.00

Telephone Hybrid Coupler Great For Remotes, Emergencies



The CircuitWerkes TAC-5 remote broadcast coupler with DTMF control can handle remote broadcasts or general dial-up control from anywhere. While the telephone interface lets you get your audio on the air, you can use the TAC-5's relays to control your automation system or even put yourself directly on the air. The direct to air mode is not only useful for remotes; it is also great for emergency broadcasts.

TAC-5 List \$319.00

Contact BSW For Lowest Prices



Need to see more?

See our full line at
www.bswusa.com

Remote Site Monitors

The CircuitWerkes SiteSentry2 (2-channel) and SiteSentry4 (4-channel) boast an internal web server for monitoring your site from any web browser in the world. They automatically detect both meter low and meter overload conditions. Both feature an internal temperature sensor and an external audio monitor.

SITESENTRY2 List \$329.00
SITESENTRY4S List \$509.00

Contact BSW For Lowest Prices



Recordable, Talking Remote Control

The CircuitWerkes Sicon-8 is an affordable, full-featured dial-up remote control based on proprietary voice recording technology that lets you record your own messages, in any language. A complete solution for facilities with basic to moderate control requirements, all of its I/O, including 8 channels of relays, are included on the main board, with all metering, status and control connections are on depluggable screw terminals.

- Can be controlled from its onboard Ethernet interface or serial port, a dial-up telephone or auto-answer cell phone
- Onboard Web server gives access to all metering, status and basic control functions

SICON8 List \$1,299.00

Contact BSW For Lowest Prices



Subaudible Tone Encoder

The CircuitWerkes SEN-6 subaudible encoder generates 25, 35, and combo 25/35 Hz tones. It features active balanced audio I/O with gain control and integral filtering that keeps audio source material from falsely activating decoders. It can be special ordered to generate 50, 75, and combo 50/75 Hz tones.

SEN6 List \$449.00 **Contact BSW For Lowest Prices**



Programmable DTMF Switcher

The CircuitWerkes DS-8 is a DTMF sequence decoder providing dry closures for eight different tone sequences. It can decode 1 to 4 digit DTMF sequences used by networks for automating closed-circuit feeds and local insertions. Relays can be easily programmed via DTMF phone to operate in momentary, latching, or interlocked latching modes.

DS8 List \$299.00 **Contact BSW For Lowest Prices**



DTMF Decoder

The CircuitWerkes DTMF-16 is a compact and rugged remote control unit that provides 16 optocoupled outputs using standard TouchTone signals. It excels in controlling remote satellite receivers, network switching equipment, repeaters, or virtually any application where local control is inconvenient or impossible. Simply connect the DTMF-16's bridging input across an audio line and its outputs will activate whenever a DTMF tone is received.

DTMF16 List \$229.00 **Contact BSW For Lowest Prices**



BSW's Lowest Price Guarantee
 See a lower advertised price from an authorized dealer?
 We'll beat it.

"Best cell phone interface we've used."



FJ500



FJ500
Front

FLIPJACK
Front



FJ500
Back



FLIPJACK
Back



Cellphone Interfaces with Mixers

The Conex FlipJacks are affordable cellphone interfaces. The FlipJack FJ500 offers a 3-channel mixer for cellular broadcasts. The original FlipJack is a smaller,

FJ500 FEATURES:

- 2 XLR inputs (mic and mic/line)
- Aux line input and output
- Tuner input for off-air monitoring
- 2 headphone outs w/ volume ctrl
- Connects to a standard phone line
- "AA" batteries or external power

FLIPJACK FEATURES:

- 2 XLR inputs (mic and mic/line)
- 1 headphone out with volume ctrl
- Separate external tuner/aux input
- Powered by internal 9V battery
- LED level and low battery indicators

FJ500

List \$398.00

FLIPJACK

List \$289.00

Contact BSW For Lowest Prices

Accessories:

22-10-0002	Power supply	List \$13.00
31-27-0005	2.5mm-to-2.5mm cable	List \$13.95
31-27-0008	2.5mm to 3.5mm cable	List \$13.95

Contact BSW For Lowest Prices

CONEX

4-Channel Cellphone Interface

The FJ700 is loaded with a 4-channel mixer boasting mic and line level inputs, with balanced XLR connectors and 1/4" unbalanced inputs. Use with most cell and land line phones. Four headphone channels. "AA" batteries or AC power. Power supply sold separately.

FJ700

List \$498.00


Contact BSW For Lowest Prices

Accessories:

22-10-0002	Power supply	List \$13.00
31-27-0008	2.5mm to 3.5mm cable	List \$13.95

Contact BSW For Lowest Prices

CONEX



JK Audio Telephone Taps

New Bluetooth wireless tap! The **Daptor Three** audio interface offers Bluetooth wireless as well as balanced XLR and unbalanced 3.5 mm connections to let you send and receive audio through your cell phone. It also works great with any laptop that has a wireless headset connection! Ruggedly built, yet weighing just 7 ounces, it runs on a single 9-volt battery.

The non-Bluetooth **Daptor Two** lets you connect any mixer to the 2.5 mm headset jack on your wireless phone. This passive adaptor features balanced XLR and unbalanced 1/4" jacks (you may use either the XLR input or 1/4" input, not both). You can send and receive audio from your mixer or recorder through your cell phone.

The **Daptor One** converts the 2.5mm headset jack on your wireless cellular phone to a modular phone line jack. This RJ-11 jack connects directly to any JK Audio RemoteMix series mixer.

Connect the JK Audio **THAT1** or **THAT2** between your telephone and handset for quick access to audio in and out of the telephone. THAT1 has RCA I/Os. THAT2 adds XLR I/O and a handset selector switch.

To record audio from your cellphone connect the **CellTap** between the 2.5 mm earpiece jack of your cellphone and your earpiece. It features a 3.5 mm audio output.

Use **QuickTap** between your standard telephone and handset for access to audio out of any telephone. Simply connect your audio equipment to the audio output jack.

VoicePath routes audio in and out of any telephone using your PC sound card. Use PC software to play your conversation right back into the phone line.

DAPTORTHREE	Bluetooth w/ XLR & 3.5mm	\$356.25
DAPTORTWO	2.5 mm tap w/ XLR & 1/4"	\$166.25
DAPTORONE	2.5 mm tap w/ RJ-11	\$113.05
THAT1	Telephone audio tap w/RCA	\$142.50
THAT2	Telephone audio tap w/XLR	\$213.75
CELLTAP	2.5 mm cellphone audio tap	\$75.05
QUICKTAP	Telephone audio tap	\$56.05
VOICEPATH	Phone tap with software	\$103.55

Contact BSW For Lowest Prices

JK Audio

Telephone Interfaces



"Reliable remote audio gear for the road warrior on your staff."

— John Lynch, Senior BSW Sales Rep